



SDWA ANNUAL CERTIFIED PARAMETER LIST - REVISED

Issue Date: August 26, 2024

Expiration Date: December 31, 2024

Fredericktowne Labs, Inc.
3020 Ventrice Court
Myersville, MD 21773

Sara Randall
MD Lab ID # 116
EPA ID # MD00033

<i>ANALYTE</i>	<i>METHOD</i>	<i>STATUS</i>
<i>Antimony</i>	<i>EPA 200.8, Rev. 5.4</i>	<i>Certified</i>
<i>Arsenic</i>	<i>EPA 200.8, Rev. 5.4</i>	<i>Certified</i>
<i>Barium</i>	<i>EPA 200.8, Rev. 5.4</i>	<i>Certified</i>
<i>Beryllium</i>	<i>EPA 200.8, Rev. 5.4</i>	<i>Certified</i>
<i>Cadmium</i>	<i>EPA 200.8, Rev. 5.4</i>	<i>Certified</i>
<i>Chromium</i>	<i>EPA 200.8, Rev. 5.4</i>	<i>Certified</i>
<i>Copper</i>	<i>EPA 200.8, Rev. 5.4</i>	<i>Certified</i>
<i>Copper</i>	<i>SM 3111 B, 24th ed.</i>	<i>Certified</i>
E. coli	SM 9223 Colilert, 19 th ed.	Certified
E. coli (enumeration)	SM 9223 Colilert QT, 19 th ed.	Certified
Fluoride	EPA 300.0, Revision 2.1	Certified
Heterotrophic Plate Count	SimPlate, November 2000	Certified
<i>Lead</i>	<i>EPA 200.8, Rev. 5.4</i>	<i>Certified</i>
<i>Lead</i>	<i>SM 3113 B, 24th ed.</i>	<i>Certified</i>
<i>Mercury</i>	<i>EPA 200.8, Rev. 5.4</i>	<i>Certified</i>
Nitrate	EPA 300.0, Revision 2.1	Certified
Nitrite	EPA 300.0, Revision 2.1	Certified
<i>Selenium</i>	<i>EPA 200.8, Rev. 5.4</i>	<i>Certified</i>
<i>Thallium</i>	<i>EPA 200.8, Rev. 5.4</i>	<i>Certified</i>
Total Coliforms	SM 9223 Colilert, 19 th ed.	Certified